SHIMOGA FOREST DIVISION.

Abstract Notification dated 1st July 1932.

It is hereby notified for the general information of the public that the right of collecting and removing Minor Forest Produce in the Forests of Shimoga, Thirthahalli and Kumsi Taluks will be sold by public auction on 25th July 1932, at 2 P.M., in the District Forest Office, Shimoga.

Please see pages 695 to 697 of Part VI of the *Mysore Gazette*, dated 7th June 1932, for detailed Notification.

B. MADHAVA RAO,
District Forest Officer.

KADUR FOREST DIVISION.

Abstract Notification dated 2nd July 1932.

The attention of the public is invited to the sale notification of Minor Forest Produce of this Division fixed for 29th July 1932 (Friday) published on pages 701 to 703 of the *Mysore Gazette*, dated 7th July 1932.

C. H. EAGLES,
District Forest Officer.

CHITALDRUG DISTRICT.

Abstract Notification, dated the 5th July 1932.

The attention of the intending purchasers is drawn to page 727, Part VI of the *Mysore Gazette*, dated 14th July 1932, notifying the resale of Thangadi and Kakke barks of several units of Chitaldrug District for 1931-33.

B. N. IYENGAR,
District Forest Officer.

ENGINEERING DEPARTMENT.

MYSORE RAILWAYS.

MYSORE DIVISION (OPEN LINES).

Abstract Notification dated 8th July 1932.

The attention of the public is invited to the detailed Notification, dated 1st July 1932, calling for tenders for the construction of sheds for stores in Central Stores, Mysore, published in pages 706—707, Part VI of *Mysore Gazette*, dated 7th July 1932.

The last date of raceipt of tender is fixed on Monday the 25th July 1932 up to 3 P.M.

The attention of the public is invited to the detailed Notification, dated 2nd July 1932, calling for tenders for the work of collecting, stacking and spreading stone ballast on Bangalore-Mysore Railway Section, published in page 708, Part VI of *Mysore Gazette*, dated 7th July 1932.

The last date of receipt of tender is fixed on Tuesday the 26th July 1932 up to 4 P.M.

In para 9, line 2 of the detailed notification please read 31st March 1933 for 31st March 1932.

The attention of the public is invited to the detailed notification, dated 2nd July 1932, calling for tenders for the construction of a Motor Fire Engine Shed at Mysore Railway Station, published in pages 709-710, Part VI of *Mysore Gazette*, dated 7th July 1932.

The last date of receipt of tender is fixed on Friday the 29th July 1932 up to 4 P.M.

In para 9 line 2 of the detailed notification please read 31st January 1933 for 31st January 1932.

The attention of the public is invited to the detailed Notification, dated 2nd July 1932, calling for tenders for the contract of Indian Refreshment Room attached to Railway Central Offices, Mysore, published in page 710 of *Mysore Gazette*, dated 7th July 1932.

The last date of receipt of tender is fixed on Monday the 25th July 1932 up to 3 P.M.

[A. VISWANATH,
Executive Engineer.

MYSORE RAILWAYS.

HASSAN DIVISION (OPEN LINES).

Abstract Notification dated 15th July 1932.

The attention of the public is invited to the detailed notifications, dated 11th July 1932 and 14th July 1932 calling for tenders for the :—

(1) Raising of cushion over certain arched bridges on the Birur-Shimoga Railway.

(2) Improvements to the Traffic quarters on the Tarikere-Narasimharajapura Tramway.

Published on pages 736-739 of the *Mysore Gazette*, dated 14th July 1932.

The last date of submitting the tenders is 1st August 1932, in both cases.

M. RAMAIYA,
Executive Engineer,
Mysore Railways, Hassan

OFFICE OF THE DISTRICT TRAFFIC SUPERINTENDENT, SHIMOGA.

Re-Aucton sale No. G. 149—32, dated 16th July 1932.

The public are hereby informed that three pieces of timber lying unclaimed at Bhadravati Station and about 64 logs of Teak and Honne, etc., of different sizes lying unclaimed at Tarikere, will be sold by public auction under section 40 (2) of the Mysore Railway Regulation No. IV of 1894.

The auction sale will be conducted by the undersigned or any others deputed by him as noted below :—

(1) Bhadravati ... ... 3 P.M. on 4th August 1932
(2) Tarikere ... ... 3 P.M. on 5th do

The sale is subject to confirmation by the Traffic Manager, Mysore. The logs may be put up for auction in one or more lots as convenient.

The undersigned does not bind himself to accept the highest or any bid. The purchaser should deposit half of the sale amount immediately and the balance within one week from date of sale and arrange to remove the timber immediately after the full amount is paid.

If the purchaser fails to comply with the conditions referred to above, the timber pieces will be resold at his risk and will be responsible for difference of the sale proceeds if it falls short of the amount originally sold.

K. GUNDAPPA,
District Traffic Superintendent

TUMKUR DIVISION.

Dated 14th July 1932.

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Tumkur Division, up to 19th August 1932 for Restoring, Upparikanahalli breached tank Registered No. 13 of Chiknaikanhalli Taluk. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of June 1933.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office at Tumkur, between the hours of 11 A.M. and 5 P.M.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed both in words and figures.

4. Each tender must be accompanied by a deposit of Rs. 200 (Two hundred only) in cash or Government Promissory Notes, as earnest money, and be superscribed "Tender for Restoring Upparikanahalli breached Tank Registered No. 13 of Chiknaikanhalli Taluk in default of which, tenders will be rejected.

5. The final acceptance of any tender will rest with Executive Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond; in default of which his tender will be considered cancelled and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the notice board in the Executive Engineer's Office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Percentage rates above or below the estimate amount will not be accepted.

10. No claims for enhanced rates will be entertained on any account after acceptance of tender.

11. The Contractor will be dealt with in terms of the bond for any short progress or delay. In matters of all disputes about rates and measurements, quality of works, etc., and in all disputes of any kind, the decision of the Executive Engineer, will be final and legally binding on the contractor.

12. Rates should be quoted both in words and figures for each item of work and lumpsum provisions are subject to modification as per data worked out during execution. The individual item of work under lumpsum provisions, the rates tendered for similar items of work will be paid and for other items the rates as per Schedule of rates will be paid at the discretion of the Executive Engineer.

Abstract estimate of quantities for Restoring Upparikanahalli breached tank registered No. 13 of Chiknaikanhalli Taluk.

No.	Details	Unit	Quantity
	I. Bund R. L. 54·50.		
1	Clearing jungle roots entirely grubbed up	L.S.	Rs.
2	Earthwork including lead and lift, watering and tamping, etc., complete.	C.yd.	4,206
3	Removing silt and sand in the breach and forming berm behind the bund and filling halla, gap, etc.	,,	179
4	Cutting steps and grips in the breach	L S.	Rs.
5	Filling the breach with good selected earth and 1/3 gravel with watering and tamping.	C.yd.	1,354
6	Puddle wall	,,	157
7	Turfing the slopes of bund	S.yd.	3,377
8	Providing and fixing new grade stones with bed slabs, figures cut and painted, including Index stones.	No.	17
9	B. M. Stones	,,	2
10	Providing Registered Number Stone	,,	1
11	Rough stone revetment to bund as per statement attached	C yd.	608
12	Gravel backing to revetment	,,	132
	II. Sluice R. L. 44·00.		
	Cut opening the bund and refilling the same after examining and repairing the existing sluice with necessary materials and refilling the earth with 1/3 gravel and earth including gravel backing to revetment, etc., complete.	L.S.	Rs.
	III. Waste wier 115 long R. L. 50·00.		
1	Benching rock, clearing draft and approaches up to crest level.	L.S.	...
2	Filling with stone jelly concrete in surki mortar ...	C.ft.	86
3	Burnt brick in surki mortar	,,	54
4	Plastering with do	Sqr.	2·27
5	Burnt stone slabs over steps and returns including fine dressing and fixing.	S.ft.	9
6	Rough stone work.	C.yd.	40

A. TANDONI RAO,
Executive Engineer.

KADUR DIVISION.

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Kadur Division, up to 8th August 1932, till 3 P.M. for constructing an anicut across Byranjihalla, Chikmagalur Taluk. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of December 1932.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office at Chikmagalur between the hours of 11 A.M. and 5 P.M. on working days.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rupees three hundred and twenty only in cash or Government Promissory Notes or in Savings Bank Pass Book as earnest money, and be superscribed "Tender for Constructing an anicut across Byranjihalla, Chikmagalur Taluk" in default of which, tenders will be rejected.

5. The final acceptance of any tender will rest with the Chief Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond, in default of which, his tender will be considered cancelled and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Executive Engineer's Office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Rates should be quoted for each every item.

10. Percentage quotations either below the lowest tender or below the estimated rates will not be accepted.

11. In all matters of dispute regarding the quality or work rates, etc., the decision of the Chief Engineer is final and legally binding.

12. No claims for enhanced rates will be preferred after the acceptance of tender and during the course of the execution of work.

13. For lumpsum items and also items found unnecessary during execution rates as per current schedule of rates will be allowed on detailed measurements.

No.	Items of work	Per	Quantity	Sanctioned rate	rate to be quoted	
					in figures	in words
	I. ANICUT AND HEAD WORKS.			Rs. a. p.		
1	Earthwork excavation	C.yd.	143	0 4 6		
2	Benching rock	S.ft.	767	0 12 0		
3	Stone jelly concrete in surki mortar for foundation.	C.ft.	818	0 6 0		
4	Size stone in surki mortar	,,	5,493	0 8 0		
5	Burnt stone slabs 6" thick dressed and set in mortar.	S.ft.	49	1 0 0		
6	Cement pointing including scraping ¾" deep.	Sqr.	17·87	6 8 0		
7	Stone jelly in surki mortar including ½" thick cement plastering.	C.ft.	413	0 8 0		
8	New stone work	C.yd.	30	3 0 0		
9	Bailing water	L. S	...	L. S.		
10	Providing date stone	No.	1	5 0 0		
11	Teakwood shutter with iron works gearing arrangements, etc, complete.	L. S.	...	L. S.		
12	Earthwork excavation channel ..	C.yd.	997	0 4 6		
	II. OPENING LEFT BANK CHANNEL FROM ANICUT.					
1	Earthwork excavation and forming soil bank having margin.	,,	3,029	0 5 6		
2	Earthwork embankment watering tamping and consolidation.	,,	824	0 6 0		
3	Providing fixing zero and mile stones ...	No.	2	12 0 0		
4	Do furlong stones...	,,	7	3 0 0		
5	Do bed grade stones	,,	15	1 8 0		

No.	Items of work	Per	Quantity	Sanctioned rate	Rate tendered In figures	Rate tendered In words
	Cart Bridge.			Rs. a. p.		
1	Earthwork excavation ordinary ...	C.yd.	8	0 4 6		
2	Rough Stone work dry new ...	,,	15	3 0 0		
3	Earthwork over road way and gravelling...	Lump sum		L. S.		
4	Burnt stone slab 6″ thick fixing inclusive	S.ft.	60	1 0 0		
	Irrigation Sluices Three (Quantity for one Sluice).					
1	Earthwork excavation foundation ...	C.yd.	1	0 4 6		
2	Concrete in surki mortar ...	C.ft.	15	0 5 0		
3	Burnt brick in surki mortar ...	,,	52	0 6 6		
4	Plastering with surki mortar ...	Sqr.	0·48	6 8 0		
5	Earthwork filling watering and tamping...	C.yd.	3	0 6 0		
	Total ...	...	..			
6	Cast iron pipe 4″ dia.	R.ft.	9	3 0 0		
7	Do 4½″ do	,,	9	3 6 0		
8	Do 5″ do	,,	9	4 4 0		
	Total sluices ...	...	...			
	Waste Weir.					
1	Earthwork excavation ordinary ...	C.yd.	23	0 4 6		
2	Rough stone dry new	,,	6	3 0 0		
3	Concrete in surki mortar	C.ft.	196	0 6 0		
4	Burnt brick in surki mortar	,,	463	0 6 6		
5	Plastering with surki mortar ...	Sqr.	3·49	6 8 0		
	Drops.					
1	Constructing rough stone drop of 2′ earthwork excavation foundation.	C.yd.	7	0 4 6		
	Rough stone work (dry) new ...	,,	11	3 0 0		
	Earthwork approaches and formation at drop.	Lump sum		L.S.		
2	Constructing (in 4/1 & 5-1) two 4′ drops quantity for one drop.					
	Earthwork excavation foundation ..e	C.yd.	11	0 4 6		
	Rough stone work dry new	,,	15	3 0 0		
	Earthwork to approaches and formation of bund at drop.	Lump sum		..		
	Total ...	...	...			
	Total for two drops ..	...	..			
3	Constructing a 5′ drop	...	...	...		
	Earthwork excavation foundation ...	C.yd.	12	0 4 6		
	Rough stone work dry new	,,	16	3 0 0		
	Earthwork to approaches and forming bund at drop.	Lump sum		L.S.		
4	Constructing a 6′ drop	...	...	...		
	Earthwork excavating foundation ...	C.yd	13	0 4 6		
	Rough stone work dry new	,,	17	3 0 0		
	Earthwork to approaches and forming bank at drop	Lump sum		L. S.		
	Total ...	...	...			
	Grand total left bank ...	..	..			
	III. OPENING RIGHT BANK CHANNEL FROM ANICUT.					
	Channel.					
1	Earthwork excavation channel and forming soil bank leaving margin.	C.yd.	10,204	0 5 6		
2	Earthwork embankment including watering and tamping.	,,	1,290	0 6 0		
3	Providing and fixing zero and mile stones	No.	4	12 0 0		
4	Do furlong stones	,,	22	3 0 0		
5	Do bed grade stone	,,	50	1 8 0		

No.	Items of work	Per	Quantity	Sanctioned Rate	Rate tendered In figures	Rate tendered In words
	Constructing Cart Bridges 3.			Rs.	Rs.	Rs.
	Quantity for one bridge					
1	Earthwork excavation and foundation ...	C.yd.	8	Vide rates given for similar items under left bank channel.		
2	Rough stone work dry	,,	15			
3	Earthwork cushion over road way and gravelling inclusive of approaches.	Lump sum				
4	Burnt stone slabs 6" dressed and set in mortar with narrow joints.	S.ft.	60			
	Total ..	..	..			
	Total of 3 bridges ...	..	...			
1	Constructing Irrigation sluices (as per quantity given for one sluice in left bank channel.	No.	13	Do		
2	Cast iron pipes 4" dia.	R.ft.	9	3 0 0		
3	Do 4½" do	,,	18	3 6 0		
4	Do 5" do	,,	9	3 12 0		
5	Do 6" do	,,	36	4 4 0		
6	Do 7" do	,,	18	5 0 0		
7	Do 9" do	,,	9	6 0 0		
8	Do 3" do	,,	18	2 0 0		
	Total ...	...	...			
	Waste Weir.					
1	Earthwork excavation	C.yd.	351	0 4 6		
2	Concrete in surki mortar	C.ft.	1,421	0 6 0		
3	Burnt brick in surki mortar	,,	3,247	0 6 6		
4	Plastering with surki mortar ...	S.qr.	25·27	6 8 0		
5	Rough stone work new	C.yd.	·275	2 0 0		
	Drops.					
1	Constructing new rough stone 2' drops ... Quantity for one drop furnished in left bank channel.	No.	2	Vide rate in left bank channel.		
2	Constructing a 3' drop in 4/1					
	Earthwork excavation foundation ...	C.yd.	10	0 4 6		
	Rough stone work new	,,	15	3 0 0		
	Earthwork approaches and forming bund at drops.	Lump sum				
	Total ...	...	...			
3	Constructing rough stone dry drops of 4' as per quantity furnished in left bank channel.	No.	3	Vide rate in left bank channel.		
4	Constructing rough stone drops of 5' as per quantity furnished in left bank channel.	,,	3	Do		
5	Constructing rough drops of 7'					
	Earthwork excavation foundation ...	C.yd.	14	0 4 6		
	Rough stone work dry new	,,	18	3 0 0		
	Earthwork to approaches and forming bank at drop.	Lump sum				
	Total ...	...	...			
6	Constructing rough stone dry drops 8' quantity for one drop.	No.	2	...		
	Earthwork excavating foundation dry ...	C.yd.	15	0 4 6		
	Rough stone work new	,,	19	3 0 0		
	Earthwork to approaches and forming bank.	Lump sum		L. S.		
	Total for two drops ...	...	...			
	Grand total right bank channel	...	...			

L. A. H. WINCKLER,
Executive Engineer.